SPECIFICATION

FOR

600V ETHYLENE PROPYLENE RUBBER INSULATED
POLYCHLOROPRENE SHEATHED FLEXIBLE CABLE
Code: 600V MM-CAR-2PNCT-SX

Quantity

Your Ref. No.

Our Ref. No.

Signed by

Takanobu Watanabe

Manager

Engineering Dept. I
Electric Wire & Cable Business Unit

Proterial, Ltd.

Issue and revision record

REV. No.	Issue date	Item	Prepared by	Reviewed by	Approved by
_	Feb. 21, 2024	FIRST ISSUE	K. Yamane	N. Ono	T. Watanabe
1	March 21, 2024	· Changed marking method and marking	K. Ya <i>ma</i> we K. Yamane		

1. Scope

This specification covers 600V Ethylene Propylene Rubber Insulated Polychloroprene Sheathed Flexible Cable, which is reference to Japanese Electrical Appliance and Material Safety Law or Japanese Electrical Facility Regulation, and Manufacture's Standard.

This cable shall have flame retardant property as per IEEE Std. 383-1974 paragraph 2. 5, Vertical Tray Flame Test (VTFT).

2. Construction and Materials

2. 1 Insulated cores

2. 1. 1 Conductor

Conductor shall be stranded flexible conductor consisting of tinned annealed copper wires.

A suitable separator tape shall be applied over the conductor.

2. 1. 2 Insulation

Insulation shall consist of black flame retardant ethylene propylene rubber compound.

Nominal thickness shall be shown in the table 1, 3, 5, 7, 9.

Ave. thick. : not less than 90% of the nominal thickness Min. thick. : not less than 80% of the nominal thickness

2. 1. 3 Core identification

The core identification shall be made by the color of insulation or the color of insulation surface as shown in the Fig. 2, 4, 6, 8, 10.

2. 2 Drain wire

2. 2. 1 Conductor

Conductor shall be stranded flexible conductor consisting of tinned annealed copper wires.

2. 2. 2 Semi-conductive layer

Semi-conductive layer shall consist of semi-conductive rubber compound. Nominal thickness shall be shown in the table 1, 3, 5, 7, 9.

2. 2. 3 Core identification

The core identification shall be made by the color of the semi-conductive layer as shown in the Fig. 2, 4, 6, 8, 10.

2. 3 Cabling of cores

The insulated conductors and the drain wire shall be cabled. Suitable rubber filler may be applied at manufacturer's discretion, if necessary.

2.4 Semi-conductive shielding layer

Semi-conductive sheilding layer over the cabled cores and drain wire shall be consist of the semi-conductive rubber compound.

Suitable tape may be applied over the semi-conductive shielding layer at manufacture's discretion, if necessary.

2.5 Sheath

Sheath shall consist of black flame retardant polychloroprene compound.

Nominal thickness shall be shown in the table 1, 3, 5, 7, 9.

Ave. thick.: not less than 90% of the nominal thickness
Min. thick.: not less than 85% of the nominal thickness

A straight line shall be marked on the surface of the sheath.

2.6 Dimension

The dimension of the cable shall be in accordance with the table 1, 3, 5, 7, 9.

3. Marking

The abbreviated description, manufacture's name and year of manufacture shall be marked between the straight lines on the surface of the sheath.


4. Inspection

Inspection shall be made on the following items prior to shipment.

Properties Standard to comply with		Requirements	Test interval
Construction and	110 C 200E 4 2	To comply with clause 2 and	
dimensions	JIS C 3005 4.3	the attached table 1, 3, 5, 7, 9	
		To withstand AC 3000V for 1 min. 600V MM-CAR-2PNCT 3×6 mm ² 600V MM-CAR-2PNCT 3×16 mm ²	Every shipment
Withstand voltage test	JIS C 3005 4.6	To withstand AC 3000V for 1 min. 600V MM-CAR-2PNCT 12×4mm ² 600V MM-CAR-2PNCT 16×4mm ² 600V MM-CAR-2PNCT 20×2.5mm ²	
Conductor resistance	JIS C 3005 4.4	Not more than the value in the attached table 2, 4, 6, 8, 10	First shipment
Insulation resistance	JIS C 3005 4.7	Not less than the value in the attached table 2, 4, 6, 8, 10	

5. Guide to use

This cable is designed for carrier drum system (cable tender system) as shown below.



(Code : Table 1 : Dimensions (Code : 600V MM-CAR-2PNCT-SX 3×6mm²)

	(Code . Doo't Mild	OIIIC BI NOI	DV OV OHIM)	
Item		Unit	Specified Value	
Type of conductor		-	Insulated core	Drain wire
No. of con-	ductor	1	3	1
	Nominal cross-section area	mm²	6	6
Conductor	Construction	No./mm	84/0.3	84/0. 3
	Approx. diameter	mm	3. 3	3. 3
Nominal th	Nominal thickness of insulation		1. 0	<u> </u>
Nominal th	ickness of semi-conductive layer	mm	_	1. 0
Nominal thickness of semi-conductive shielding layer		mm	1.	0
Nominal thickness of sheath		mm	2. 3	
Approx. diameter of completed cable		mm	21	
Maximum diameter of completed cable		mm	22. 1	
Approx. weight of completed cable		kg/km	59)5

Table 2: Characteristic

14570 1. 0	na a o co a a o c a c	
Item	Unit	Specified Value
Type of conductor		Insulated core
Maximum conductor resistance at 20℃	Ω/km	3. 39
Minimum insulation resistance at 20℃	MΩ·km	400
Permissible minimum bending radius	mm	130




Fig. 1 Cable cross section




Fig. 2 Core identification

Table 3 : Dimensions (Code : 600V MM-CAR-2PNCT-SX 3×16mm²)

-	(Code . Dooy May-	JAK ZINCI	DA DY TOMM,	
Item		Unit	Specified Value	
Type of conductor		_	Insulated core	Drain wire
No. of con-	ductor		3	3
	Nominal cross-section area	mm ²	16	3. 5
Conductor	Construction	No./mm	7/18/0.4	45/0.32
	Approx. diameter	mm	5. 9	2. 5
Nominal thickness of insulation		mm	1. 2	
Nominal th	ickness of semi-conductive layer	mm		0. 8
Nominal thickness of semi-conductive shielding layer		mm	1.	0
Nominal thickness of sheath		mm	2. 7	
Approx. diameter of completed cable		mm	27	
Maximum diameter of completed cable		mm	28. 4	
Approx. weight of completed cable		kg/km	1130	

Table 4: Characteristic

<u> </u>		And the second s
Item	Unit	Specified Value
Type of conductor	_	Insulated core
Maximum conductor resistance at 20℃	Ω/km	1. 24
Minimum insulation resistance at 20℃	MΩ·km	300
Permissible minimum bending radius	mm	170




Fig. 3 Cable cross section




Fig. 4 Core identification

Table 5 : Dimensions (Code : 600V MM-CAR-2PNCT-SX 12×4mm²)

(Code : 600V MM-CAR-ZPNCI-SX 12×4MM)				
I tem		Unit	Specified Value	
Type of conductor		-	Insulated core	Drain wire
No. of con	ductor	1	12	1
	Nominal cross-section area	mm ²	4	4
Conductor	Construction	No. /mm	56/0.3	56/0. 3
	Approx. diameter	mm	2. 6	2. 6
Nominal th	Nominal thickness of insulation		1. 0	-
Nominal th	ickness of semi-conductive layer	mm		1. 0
Nominal thickness of semi-conductive shielding layer		mm	1.	0
Nominal thickness of sheath		mm	2. 9	
Approx. diameter of completed cable		mm	30	
Maximum diameter of completed cable		mm	31. 5	
Approx. we	ight of completed cable	kg/km	1270	

Table 6: Characteristic

10010 01 0	11010000, 10010	
Item	Unit	Specified Value
Type of conductor		Insulated core
Maximum conductor resistance at 20℃	Ω/km	5. 09
Minimum insulation resistance at 20℃	MΩ·km	400
Permissible minimum bending radius	mm	180




Fig. 5 Cable cross section




Fig. 6 Core identification

(Code : $\frac{\text{Table 7} : \text{Dimensions}}{600V \text{ MM-CAR-2PNCT-SX}}$ $\frac{16 \times 4 \text{mm}^2}{16 \times 4 \text{mm}^2}$

(Code : OUOV MW-CAK-ZFNCI-SA 10×4mm)					
Item		Unit	Specified Value		
Type of conductor		-	Insulated core	Drain wire	
No. of con-	ductor	_	16	1	
	Nominal cross-section area	mm²	4	4	
Conductor	Construction	No./mm	56/0.3	56/0.3	
	Approx. diameter	mm	2. 6	2. 6	
Nominal th	ickness of insulation	mm	1. 0		
Nominal th	ickness of semi-conductive layer	mm	1	1. 0	
Nominal thickness of semi-conductive shielding layer		mm	1.	0	
Nominal thickness of sheath		mm	3. 1		
Approx. diameter of completed cable		mm	33		
Maximum diameter of completed cable		mm	34. 7		
Approx. weight of completed cable		kg/km	1700		

Table 8: Characteristic

TABLE O: CHATACTOLIBRIE					
Item	Unit	Specified Value			
Type of conductor	_	Insulated core			
Maximum conductor resistance at 20℃	Ω/km	5. 09			
Minimum insulation resistance at 20℃	MΩ·km	400			
Permissible minimum bending radius	mm	200			




Fig. 7 Cable cross section




Fig. 8 Core identification

(Code: $600V \text{ MM-CAR-2PNCT-SX } 20 \times 2.5 \text{mm}^2$)

	Item	Unit	Specified Value	
Type of conductor		<u> </u>	Insulated core	Drain wire
No. of conductor		_	20	1
	Nominal cross-section area	mm²	2. 5	2. 5
Conductor	Construction	No./mm	49/0. 25	49/0. 25
	Approx. diameter	mm	2. 1	2. 1
Nominal thickness of insulation		mm	0. 8	
Nominal th	ickness of semi-conductive layer	mm	_	0.8
Nominal thickness of semi-conductive shielding layer		mm	1.	0
Nominal thickness of sheath		mm	2. 8	
Approx. diameter of completed cable		mm	29	
Maximum diameter of completed cable		mm	30. 5	
Approx. weight of completed cable		kg/km	1220	

Table 10: Characteristic

14010 10:	Marao vol 10 vio	
Item	Unit	Specified Value
Type of conductor	_	Insulated core
Maximum conductor resistance at 20℃	Ω/km	8. 21
Minimum insulation resistance at 20℃	MΩ·km	500
Permissible minimum bending radius	mm	180




Fig. 9 Cable cross section




Fig. 10 Core identification